Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2961	(compar\$6 with ((first with second with database\$1) or (two with database\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:33
S2	457	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:12
S3	145	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:12
S4	67	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and pars\$3 and schema\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:32
S5	7	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and pars\$3 and schema\$2 and (xml with file\$1 with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:03
S6	2	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and pars\$3 and schema\$2 and (xml with file\$1 with (database\$1 or (data adj repositor\$3))) and (compar\$6 with entit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:15
S7	0	(generat\$4 with config\$8 with file\$1) and (pars\$3 with config\$6 with file\$1) and (pars\$3 with database\$2) and (pars\$3 with entit\$3) and (compar\$3 with database\$1) and (generat\$3 with report\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:13

CC	4444	(4-1-1	LIC DCDLID	OB	٥٢٢	2006/01/22 12:16
S8	1411	(database\$1 or (data adj repositor\$3)) with comparator\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:16
S9	0	((database\$1 or (data adj repositor\$3)) with comparator\$1) and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:17
S10	77	((database\$1 or (data adj repositor\$3)) with comparator\$1) and "707"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:17
S11	75	((database\$1 or (data adj repositor\$3)) with comparator\$1) and (relational with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:30
S12	3	((database\$1 or (data adj repositor\$3)) with comparator\$1) and (relational with (database\$1 or (data adj repositor\$3))) and schema\$1 and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:21
S13	6	((database\$1 or (data adj repositor\$3)) with comparator\$1) and (relational with (database\$1 or (data adj repositor\$3))) and (identif\$4 with (differen\$3 or differ\$1) with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:23
S14	38	((database\$1 or (data adj repositor\$3)) with comparator\$1) and (relational with (database\$1 or (data adj repositor\$3))) and version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 14:57
S15	1	("6502112").PN.	USPAT; USOCR	OR	OFF	2006/01/23 14:57
S16	7	("6502112").URPN.	USPAT	OR	OFF	2006/01/24 09:49
S17	8	("6502112").URPN.	USPAT	OR	OFF	2006/01/24 09:49
S18	2	S17 and entit\$3	USPAT	OR	OFF	2006/01/24 09:50
S19	7	("4807182"   "5956726"   "6098071"   "6119124"   "6343265"   "6407753"   "6446081").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/24 11:16

			T	<u> </u>		
S20	28	(comparator\$1 or (comparison with tool\$1)) and (database\$1 or (data with repositor\$3)) and (list\$1 with entit\$3) and ((object\$1 or data) with class\$2) and attribute\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/24 11:33
S21		(comparator\$1 or (comparison with tool\$1)) and (database\$1 or (data with repositor\$3)) and (list\$1 with entit\$3 with class\$2 with attribute\$1) and ((object\$1 or data) with class\$2) and attribute\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/24 11:21
S22	3	(comparator\$1 or (comparison with tool\$1)) and (database\$1 or (data with repositor\$3)) and (list\$1 with entit\$3 with attribute\$1) and ((object\$1 or data) with class\$2) and attribute\$1	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/01/24 11:21
S23	8	(comparator\$1 or (comparison with tool\$1)) and (database\$1 or (data with repositor\$3)) and (list\$1 with entit\$3) and ((object\$1 or data) with class\$2) and attribute\$1 and (relational with (database\$1 or (data with repositor\$3)))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/24 11:25
S24	17	(comparator\$1 or (comparison with tool\$1)) and (database\$1 or (data with repositor\$3)) and (list\$1 with entit\$3) and ((object\$1 or data) with class\$2) and attribute\$1 and pars\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/24 11:28
S25	1	(comparator\$1 or (comparison with tool\$1)) and (database\$1 or (data with repositor\$3)) and (list\$1 with entit\$3) and ((object\$1 or data) with class\$2) and attribute\$1 and (pars\$3 same (object\$1 with class\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/24 11:27
S26	20	(comparator\$1) and (database\$1 or (data with repositor\$3)) and (list\$1 with entit\$3) and ((object\$1 or data) with class\$2) and attribute\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/24 11:33
S27	11	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and pars\$3 and schema\$2 and (xml with file\$1 with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:06
S28	61	relational with database\$1 with (comparison\$1 or comparator\$1) with (system\$1 or method\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:07

	r	<del>                                      </del>			1	,
S29	9	(relational with database\$1 with (comparison\$1 or comparator\$1) with (system\$1 or method\$1)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:12
S30	4	(compar\$6 with (database\$1 or (data adj repositor\$3))) same ((compil\$3 or construct\$3 or creat\$3 or develop\$3) with (list\$1 or document\$1 or table\$1)) same (compar\$3 with ((data with classes) or (object\$1 with type\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:50
S31	1412	(database\$1 with comparator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:25
S32	9	(database\$1 with comparator\$1) and (relational with (database\$1 or (data adj repositor\$3))) and schema\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:28
S33	0	(database\$1 with comparator\$1) and (relational with (database\$1 or (data adj repositor\$3))) and (("version-based" or (version\$1 adj bas\$3)) with compar\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:37
S34	357	(compar\$3 with (relational with (database\$1 or (data adj repositor\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:44
S35	55	(compar\$3 with (relational with (database\$1 or (data adj repositor\$3)))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:46
S36 .	20	(compar\$4 with (relational with (database\$1 or (data adj repositor\$3)))).clm. and (compar\$4 with ((first with second) or multiple or plural or many or two) with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:47

S37	14	(compar\$4 with (relational with (database\$1 or (data adj repositor\$3)))).clm. and (compar\$4 with ((first with second) or multiple or plural or many or two) with database\$1).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:48
S38	586	(compar\$6 with (database\$1 or (data adj repositor\$3))) and (xml with (document\$1 or file\$1)) and (relational with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:52
S39	98	((compar\$6 with (database\$1 or (data adj repositor\$3))) same structure\$1) and (xml with (document\$1 or file\$1)) and (relational with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:53
S40	77	((compar\$6 with (database\$1 or (data adj repositor\$3))) same structure\$1) and (xml with (document\$1 or file\$1)) and (relational with (database\$1 or (data adj repositor\$3))) and (schema or hierarch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:58
S41	3	((compar\$6 with (database\$1 or (data adj repositor\$3))) same structure\$1) and (xml with (document\$1 or file\$1)) and (relational with (database\$1 or (data adj repositor\$3))) and (schema or hierarch\$3) and (creat\$3 with difference\$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:56
S42	3	((compar\$6 with (database\$1 or (data adj repositor\$3))) same structure\$1) and (xml with (document\$1 or file\$1)) and (relational with (database\$1 or (data adj repositor\$3))) and (schema or hierarch\$3) and (creat\$3 with (difference\$1 or diference\$1) with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:57
S43	5	((compar\$6 with (database\$1 or (data adj repositor\$3))) same structure\$1) and (xml with (document\$1 or file\$1)) and (relational with (database\$1 or (data adj repositor\$3))) and (schema or hierarch\$3) and ((difference\$1 or diference\$1) with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:57
S44	51	((compar\$6 with (database\$1 or (data adj repositor\$3))) same structure\$1) and (xml with (document\$1 or file\$1)) and (relational with (database\$1 or (data adj repositor\$3))) and (schema or hierarch\$3) and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:02

S45	0	(beach with systems).as.	US-PGPUB; USPAT;	OR	OFF	2006/01/24 17:02
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S46	103	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (entit\$3 with list\$1) or (pointer\$1 with entit\$3 with record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:09
S47	43	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and ((entit\$3 with list\$1) or (pointer\$1 with entit\$3 with record\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:10
S48	14	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and ((entit\$3 with list\$1) or (pointer\$1 with entit\$3 with record\$1)) and (identif\$3 with differen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:13
S49	9	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and (table\$1 with point\$3 with record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:33
S50	0	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and (table\$1 with point\$3 with record\$1) and schroniz\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:34
S51	2	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and (table\$1 with point\$3 with record\$1) and synchroniz\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:34
S52	9	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and (table\$1 with point\$3 with record\$1) and (synchroniz\$6 or updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:44

			<del></del>	r	· · · · · · · · · · · · · · · · · · ·	T
S53	2	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and (table\$1 with point\$3 with record\$1) and (synchroniz\$6 or updat\$3) and lineag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:45
S54	1	(compar\$6 with ((first with second with database\$1) or (two with database\$1))) and (relational with (database\$1 or (data adj repositor\$3))) and (table\$1 with point\$3 with record\$1) and (synchroniz\$6 or updat\$3) and (comput\$3 with lineag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:45
S55	282	(star adj schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:34
S56	280	(star adj schema\$1) and (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:34
S57	89	(star adj schema\$1) and (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)) and ((disparate with system\$1) or (integrat\$3 with system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:36
S58	71	(star adj schema\$1) and (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)) and ((disparate with system\$1) or (integrat\$3 with system\$1)) and entit\$3 and attribute\$1 and (class\$2 or group\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:37
S59	19	(star adj schema\$1) and (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)) and ((disparate with system\$1) or (integrat\$3 with system\$1)) and entit\$3 and attribute\$1 and (class\$2 or group\$1) and (entit\$3 with (group\$4 or class\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 11:05
S60	1	("20040153469").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/26 10:38

S61	35	(star adj schema\$1) and (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)) and entit\$3 and attribute\$1 and (entit\$3 with (group\$4 or class\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 11:05
S62	4395	707/101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 11:05
S63	2090	707/101.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 11:07
S64	2	S63 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 12:59
S65	1	(Beach adj2 Solutions adj2 EASI adj2 studio adj2 schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:13
S66	2489	(determin\$3 with (differen\$3 or differ\$1) with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:14
S67	401	(determin\$3 with (differen\$3 or differ\$1) with (database\$1 or (data adj repositor\$3))) and entit\$3 and attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:15
S68	38	(determin\$3 with (differen\$3 or differ\$1) with (database\$1 or (data adj repositor\$3))) and entit\$3 and attribute\$1 and (entit\$3 with (group\$1 or cluster\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:16

666		(124	HC DCDUD	OD	055	2006/04/26 12:16
S69	2	(determin\$3 with (differen\$3 or differ\$1) with (database\$1 or (data adj repositor\$3))) and entit\$3 and attribute\$1 and (entit\$3 with (group\$1 or cluster\$1)) and lineage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:16
S70	2	("0747836").PN.	USPAT; USOCR; EPO	OR	OFF	2006/01/26 15:20
S71	0	("0747836").PN.	EPO	OR	OFF	2006/01/26 15:28
S72	0	(database\$1 with differencing) and (xml with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:29
S73	44	(database\$1 with differencing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:30
S74	1	(database\$1 with differencing) and xml and entit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:30
S75	16	(database\$1 with differencing) and entit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:47
S76	8	(beach with solutions).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:41
S77	241	(data\$5 with differencing) and entit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:47
S78	103	(data\$5 with differencing) and entit\$3 and (database\$1 or (data adj repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:48

S79	35	(data\$5 with differencing) and entit\$3 and (database\$1 or (data adj repositor\$3)) and attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:49
S80	0	(data\$5 with differencing) and entit\$3 and (database\$1 or (data adj repositor\$3)) and attribute\$1 and lineage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:50
S81	60	(comput\$3 with lineage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:02
S82	0	("6434558").URPN.	USPAT	OR	OFF	2006/01/26 16:08
S83	6	("4799152"   "5844794"   "6016497"   "6092071"   "6112207"   "6230212"). PN.	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/01/26 16:33
S84	7	(xml with (database\$1 or (data adj repositor\$3))) and (parent with element with tag with name\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/26 16:42
S85	3	(("5999947") or ("5884325") or ("5684990")).PN.	USPAT; USOCR	OR	OFF	2006/01/26 16:43
S86	36	("5999947").URPN.	USPAT	OR	OFF	2006/01/26 16:45
S87	16	(comput\$3 with lineage\$1) and ((first with table\$1 with second) or (two with table\$1) or (two with database\$1) or (first with second with database\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:04
S88	11	((compil\$3 or creat\$3) with list\$3 with entit\$3) same (group\$3 with (class\$2 or type\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:36
S89	870	(compar\$3 with database\$1 with structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:37

S90	10	(compar\$3 with database\$1 with structure\$1) and (pars\$3 with (database\$1 or (data adj repositor\$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:38
S91	2	(compar\$3 with database\$1 with structure\$1) and (pars\$3 with (database\$1 or (data adj repositor\$3))).clm. and entit\$3 and attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:38
S92	25	(compar\$3 with database\$1 with structure\$1) and (pars\$3 with (data or document\$1 or database\$1 or (data adj repositor\$1) or (data adj warehouse\$1))) and entit\$3 and attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:46
S93	5319	(xml with (database\$1 or (data adj repositor\$3 or (data adj warehous\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:47
S94	1456	(xml with (database\$1 or (data adj repositor\$3 or (data adj warehous\$1)))) and (group with (document\$1 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:48
S95	984	(xml with (database\$1 or (data adj repositor\$3 or (data adj warehous\$1)))) and (group\$3 with (document\$1 or data)) and entit\$3 and attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:48
S96	984	(xml with (database\$1 or (data adj repositor\$3) or (data adj warehous\$1))) and (group\$3 with (document\$1 or data)) and entit\$3 and attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:49
S97	402	(xml with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and (group\$3 with (document\$1 or data)) and entit\$3 and attribute\$1 and (pars\$3 with (document\$1 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:51

S98	25	(xml with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and (group\$3 with (document\$1 or data)) and entit\$3 and attribute\$1 and (pars\$3 with (document\$1 or data)) and ((creat\$3 or compil\$3) with (list\$1 or table\$1 or array\$1) with entit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:09
S99	8072	(synchroniz\$5 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:10
S10 0	581	(synchroniz\$5 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3))) and ((list\$3 or table\$1 or array\$1) with entit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:11
S10 1	54	(synchroniz\$5 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3))) and ((list\$3 or table\$1 or array\$1) with entit\$3 with attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:11
S10 2	0	(synchroniz\$5 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3))) and (((list\$3 or table\$1 or array\$1) with entit\$3 with attribute\$1) same (compar\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3)) with (list\$3 or table\$1 or array\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:13
S10 3	8	(synchroniz\$5 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3))) and ((list\$3 or table\$1 or array\$1) with entit\$3 with attribute\$1) and (compar\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3)) with (list\$3 or table\$1 or array\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:15
S10 4	876	(compar\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3)) with structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:15

				·		
S10 5	55	(compar\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3)) with structure\$1) and (pars\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:16
S10 6	2	(compar\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3)) with structure\$1) and (pars\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3))) and ((list\$1 or tanle\$1) with entit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:18
S10 7	8517898	b	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:17
S10 8	17	(compar\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3)) with structure\$1) and (pars\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehous\$3))) and ((list\$1 or table\$1) with entit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:19
S10 9	6106	(synchroniz\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:25
S11 0	95	(synchroniz\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and (("object-oriented" or (object adj oreint\$3)) with data with structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:26
S11 1	119	(synchroniz\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and (("object-oriented" or (object adj orient\$3)) with data with structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:26
S11 2	0	(synchroniz\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and ((("object-oriented" or (object adj orient\$3)) with data with structure\$1) same (schema with object\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:27

S11 3	39	(synchroniz\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and ((("object-oriented" or (object adj orient\$3)) with data with structure\$1) and (schema with object\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:27
S11 4	32	(synchroniz\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and ((("object-oriented" or (object adj orient\$3)) with data with structure\$1) and (schema with object\$1)) and ((pars\$3 or partition\$3) with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:46
S11 5	0	(synchroniz\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and ((("object-oriented" or (object adj orient\$3)) with data with structure\$1) and (schema with object\$1)) and ((pars\$3 or partition\$3) with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and ((pair\$3 or match\$3) with (entit\$3 or group\$3)) and difference\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:32
S11 6	0	(synchroniz\$3 with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and ((("object-oriented" or (object adj orient\$3)) with data with structure\$1) and (schema with object\$1)) and ((pars\$3 or partition\$3) with (database\$1 or (data adj repositor\$3) or (data adj warehouse\$1))) and ((pair\$3 or match\$3) with (entit\$3 or group\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:32
S11 7	1	("20040153469").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 09:35
S11 8	9130	(object adj class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:46
S11 9	9130	(object adj class\$2) with object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:47

S12	630	(object adj class\$2) and (row with	US-PGPUB;	OR	OFF	2006/02/01 09:47
0	030	object\$1)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2000, 02, 02
S12 1	53	(object adj class\$2) and (row with object\$1) and ((chang\$3 or updat\$3 or synchroniz\$3) with structur\$3 with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:53
S12 2	10	(object adj class\$2) and (row with object\$1) and ((chang\$3 or updat\$3 or synchroniz\$3) with structur\$3 with database\$1) and (pars\$3 with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 10:27
S12 3	0	(object adj class\$2) and (row with object\$1) and ((chang\$3 or updat\$3 or synchroniz\$3) with structur\$3 with database\$1) and (pars\$3 with database\$1) and (difference\$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 09:49
S12 4	231	(object adj class\$2) and (row with object\$1) and (("object-oriented" or (object adj oriented)) with database\$1) and relational adj database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 10:29
S12 5	231	(object adj class\$2) and (row with object\$1) and (("object-oriented" or (object adj oriented)) with database\$1) and (relational adj database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 10:29
S12 6	205	(object adj class\$2) and (row with object\$1) and (("object-oriented" or (object adj oriented)) with database\$1) and (relational adj database\$1) and (list\$3 with (object adj class\$2) or (entit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 10:30
S12 7	40	(object adj class\$2) and (row with object\$1) and (("object-oriented" or (object adj oriented)) with database\$1) and (relational adj database\$1) and (list\$3 with (object adj class\$2) or (entit\$3)) and ((generat\$3 or creat\$3) with structure\$1 with schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:38

S12 8	156	(identif\$3 with difference\$1 with between with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:38
S12 9	2	(identif\$3 with difference\$1 with between with database\$1) and (relational with database\$1) and ("same" with schema\$2) and (different with schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:40
S13 0	3	(identif\$3 with difference\$1 with between with database\$1) and (relational with database\$1) and (pars\$3 with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:42
S13 1	10	(identif\$3 with difference\$1 with between with database\$1) and (pars\$3 with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:43
S13 2	10	(identif\$3 with difference\$1 with between with version\$1 with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:45
S13 3	7	(identif\$3 with difference\$1 with between with version\$1 with database\$1) and entit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:45
S13 4	3	(identif\$3 with difference\$1 with between with version\$1 with database\$1) and (entity or entities)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:29
S13 5	1423	(database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)) with comparator\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:30

S13 6	11	((database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)) with comparator\$1) and (GUI\$2 or (graphic\$2 adj user adj interface\$1)) and (configur\$5 with file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:42
S13 7	2	((database\$1 or (data adj repositor\$3) or (data adj warehouse\$1)) with comparator\$1) and (GUI\$2 or (graphic\$2 adj user adj interface\$1)) and ((configur\$5 with file\$1) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:32
S13 8	2	((comput\$4 or calculat\$3 or determin\$3 or find\$3) with (lineage\$1 or (recursive adj parenthood\$1)) with (object\$1 or entit\$3 or record\$1) with (list\$1 or table\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:44
S13 9	34	((comput\$4 or calculat\$3 or determin\$3 or find\$3) with (lineage\$1 or (recursive adj parenthood\$1)) with (object\$1 or entit\$3 or record\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:44
S14 0	4	((comput\$4 or calculat\$3 or determin\$3 or find\$3) with (lineage\$1 or (recursive adj parenthood\$1)) with (object\$1 or entit\$3 or record\$1)) and ((stor\$3 or insert\$3) with lineage\$1 with (list\$1 or table\$1 or array\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:46
S14 1	15	((comput\$4 or calculat\$3 or determin\$3 or find\$3) with (lineage\$1 or (recursive adj parenthood\$1)) with (object\$1 or entit\$3 or record\$1)) and ((stor\$3 or insert\$3) with lineage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:24
S14 2	38	(database\$1 adj comparator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/02/01 14:26
S14 3	5863	(compar\$3 or comparat\$3) with relational database\$1 with differenc\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:27

S14 4	13	(compar\$3 or comparat\$3) with relational with database\$1 with differenc\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:36
S14 9	2	("6502112").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:44
S15 0	8	("6502112").URPN.	USPAT	OR	OFF	2006/02/01 15:46
S15 1	0	("6502112").URPN. and lineage\$1	USPAT	OR	OFF	2006/02/01 15:46
S15 2	7	("6502112").URPN. and database\$1	USPAT	OR	OFF	2006/02/01 15:55
S15 3	0	(convert\$3 with xml with (database\$1 or (data adj repositor\$3)) with ("object-oriented" or (object adj oriented)))	USPAT	OR	OFF	2006/02/01 15:57
S15 4	877508	(convert\$3 (database\$1 or (data adj repositor\$3)) with ("object-oriented" or (object adj oriented)))	USPAT <sup>-</sup>	OR	OFF	2006/02/01 15:57
S15 5	35	(convert\$3 with (database\$1 or (data adj repositor\$3)) with ("object-oriented" or (object adj oriented)))	USPAT	OR	OFF	2006/02/01 16:00
S15 6	17	(convert\$3 with relational with (database\$1 or (data adj repositor\$3)) with ("object-oriented" or (object adj oriented)))	USPAT	OR	OFF	2006/02/01 16:00
S15 7	29	(convert\$3 with relational with (database\$1 or (data adj repositor\$3)) with ("object-oriented" or (object adj oriented)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:00
S15 8	1	((user\$1 with interface\$1) or (GUI\$2)) and (option\$1 with compar\$3 with (multiple or two) with (database\$1 or (data adj repositor\$3)))	USPAT	OR	OFF	2006/02/02 11:16
S15 9	2	((user\$1 with interface\$1) or (GUI\$2)) and (option\$1 with compar\$3 with (multiple or two) with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/02 11:18

S16 0	2	((user\$1 with interface\$1) or (GUI\$2) or (graphical adj interface\$1)) and (option\$1 with compar\$3 with (multiple or two) with (database\$1 or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/02 11:32
S16 1	2	(comput\$3 with lineage\$1 with list\$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/02 11:33
S16 2	9	(lineage\$1 with (list\$3 or table\$1 or array\$1) with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/02 11:35
S16 3	5	(lineage\$1 with (list\$3 or table\$1 or array\$1) with object\$1) and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/02/02 11:36